

FREEPHONE 0508 001 002 Solutions for better living he rongoā ki te ora nui



ACC Product List

Copyright 2016 Accessable

Date Published: 11 August 2019

Page 1/50



he rongoā ki te ora nui



Table of Contents

Simple Product List	4
Bathroom	4
Bedroom	7
Crutches	9
Kitchen & Living Room	10
Low Cost Equipment: Under \$50 incl. GST	16
Manual Handling	17
Office	19
Other	20
Ramp	21
Seating & Backs	
Shower	
Toileting	24
Vocational - Office	
Vocational - Work	
Walkers & Strollers	31
Wheelchairs & Buggies	
Standard Product List	35
Bathroom	35
Bedroom	36
Kitchen & Living Room	
Manual Handling	
Vocational - Office	



he rongoā ki te ora nui



Solutions for better living

	Vocational - Work	40
	Wheelchairs & Buggies	41
Complex	Product List	45
	Bathroom	45
	Bedroom	46
	Commode	47
	Shower	48
	Wheelchairs & Buggies	49



Solutions for better living

he rongoā ki te ora nui



Simple Product List

Bathroom

RAIL 140052-2 ROTH SUCTION TELESCOP



The Vacuum levers ensure an adhesion strength of 700N (-70kg) on smooth,pore-tight surfaces.The two suction plates are pressed onto any smoothnon-porous surface and then secured by pressing the vacuum lever down.

BATH BOARD COSBY 243



SIC Code:	EB001
Accreditatio	PSCHSM LST
Weight:	2.3kg
Capacity:	190kg
Size:	290mmWx710mmL

Smooth, moulded plastic surface, strengthened with plywood.Rounded edges for easy cleaning. Frontal cutaway for personal cleaning.Easy-to-adjust pillars.

TRANSFER BENCH BATHTUB 256



SIC Code:	EB020
Accreditatio	PSCHSM LST
Weight:	5.1kg
Capacity:	130kg
Size:	380-490mm

Lightweight non-corrosive aluminium frame. Plastic seat/back, sucker feet.Height adjustable 470-585mm. Seat size 725x370mm. Back size 430x175mm.Bath clearance 380-490mm.

RAIL 1403999-1 ROTH SUCTION 1 HAND



The Mobeli® system grab rails can be quickly and easilyattached to tiled walls or glass shower panels without the need fordrilling. two suction plates are pressed onto any smooth surface.

BATH BOARD DERBY 257



SIC Code:	EB002
Accreditatio	PSCHSM LST
Weight:	2kg
Capacity:	190kg
Size:	300mmWx710mmL

Lightweight but strong, slip resistant seat, rear upstand with coccyxcutaway. Held with easy-to-adjust pillars.Slotted design allows water to drain.

BATH/SHOWER SET 190



Hand held with suction cups

Copyright 2016 Accessable



Solutions for better living

FREEPHONE 0508 001 002 Solutions for better living

he rongoā ki te ora nui



Simple Product List

Bathroom

SWIVEL BATHER 508 OAKWOOD



SIC Code:	EB050
Accreditatio	PSCHSM
Weight:	8.2kg
Capacity:	120kg

Size: 700-855mm

Aluminium base frame, easy-to-clean plastic seat (rotates 360°).Width of base adjusts 700-855mm (external) to suit most baths.Width between arms 470mm. Back height 420mm

ASHBY TWO STEP 124



SIC Code:	EB070
Accreditatio	PSCHSM LST
Weight:	3kg
Capacity:	190kg
Size:	330mmWx520mmL

Safe two-height step with hygienic slip-reistant top. Non-moulding.Antibacterial impregnated. Height 100mm one side up - 150mm other side up.

COMMODE 2346 & 75PC TRANSIT/CLOSED SEAT



Safety arms provide user security and safety, two position adj armsSwing-away, removable & height adjustable legrests with flip-up footplatesStainless steel 125mm castors (4 braking)

BATH/SHOWER MATTING



Non-slip and comfortable to stand on, this high quality commercial gradetube matting will not go mouldy and is easy to clean. Sold by lineal metreor pre-cut to dimensions required.

SPONGE 1088093 VITILITY LONG HANDLE



Use this bending sponge to reach those hard-to-get-at places. Dip the handle in hot water then bend it to suit the desired angle.

COMMODE 2346 & 75PO TRANSIT/OPEN SEAT



SIC Code:	EB102
Accreditatio	PSCHSM
Weight:	11.9kg
Capacity:	200kg
Size:	W465XAH200XS475-575

Safety arms provide user security and safety, two position adj armsSwing-away, removable & height adjustable legrests with flip-up footplatesStainless steel 125mm castors (4 braking)



he rongoā ki te ora nui



Simple Product List

Bathroom

COMMODE 2348U & 75PC SP/CLOSED SEAT



EB103
PSCHSM
15.3kg
200kg
H1015mmXW520MM

Self Propelling Stainless Steel Shower Commode - Swing away footplate.Swing up arms anti tips for safety.Quick release wheels with push rims and S/S 125mm castors (2 braking).

PAN & CARRIER 2359 & 75P



COMMODE 2348U & 75PO SP/OPEN SEAT

	SIC Code:	EB104
	Accreditatio	PSCHSM
AND AND	Weight:	15.3kg
	Capacity:	200kg
	Size:	H1015mmXW520mm

Self Propelling Stainless Steel Shower Commode - Swing away footplate.Swing up arms and anti tips for safety.Quick release wheels with push rims and S/S 125mm castors (2 braking).

BOWL & LID WITH CARRIER 2359 & 325



Viking Bedpan Carrier - Standard / Plaspro Bedpan

TRANSFER BENCH 241 PADDED CHEVRON



Easy access to the bathtub or showerLightweight non-corrosive aluminium framePadded seat & back with anti-slip surface. Back removes to fit either side

Viking Bowl Carrier - Standard/Viking Plastic Bowl and Lid 265mm

BED PAN 75P



Plaspro Bedpan



he rongoā ki te ora nui



Simple Product List

Bedroom

BED LEVER MF 3/11S-CC 3 BAR OBLONG BASE



Loop size 550 H x 225W (81mm between the vertical tubes)465 W x 835L x 16 D (all measurements in mm)

MATTRESS OVERLAY 173 SOFTEC DOUBLE



Resilient fabric made of millions of cylindrical hollow fibres coated withsiliconeReversible, machine washable

OVERBED POLE 070 FREE STANDING



Large, stable, reinforced base. Simple handle height adj/comfortable gripHeavy dute steel construction with durable powder-coated finishDesigned to dismantle quickly for wasy transportation.

MATTRESS OVERLAY 175 SINGLE



Resilient fabric made of millions of cylindrical hollow fibres coated withsiliconeReversible, machine washable

OVER BED POLE 204 FREE STANDING



Overall height 1830mm Base W800xD700mm with zinc plated chain length 500mmStrong heavy duty welded tubular 2 section construction

TABLE 575 TILT/TOP LOCKING CASTORS



Viking Tilting Top Table includes 4 ${\rm x}$ braking castorsTop size 450x750mm, Base height 90mm



he rongoā ki te ora nui



Simple Product List

Bedroom

BED RAISER MF2/4 4in DOUBLE (2)



Fits under the feet of the bed380 kg spread over all feet of the bed. Includes the weight of the bed.Min/max adjustment 1150 - 1700mm, Height 100 mm

SOCK / STOCKING AID PA16D005



Parsons Sock Aid Standard ModelA flexible sock aid with nylon webbing straps.Curved shape holds stocking on the aid while pulling up your leg.

BED BLOCK MF0/1 2in (each)



Bed Block - suits beds with feet, glides or castors.Raises your bed by 50 mmFits under the feet of your bed to raise the mattress height

BED RAISER MF2/2 4in SINGLE (2)



Single Bed Raisers - suits a single bedFits under the feet of the bedMin/max adjustment - $815 \rm mm$ - $1100 \rm mm$.100 mm high

BED BLOCK MF0/3 4in (each)



SIC Code:	EK009
Accreditatio	PSCHSM
Weight:	.75kg
Capacity:	380kg
Size:	100mm

Bed Block - suits beds with feet, glides or castors. Raises your bed by 100 mmFits under the feet of your bed to raise the mattress height

BED BLOCK MF0/2 3in (each)





Bed Block - suits beds with feet, glides or castors.Raises your bed by 75 mmFits under the feet of your bed to raise the mattress height



FREEPHONE 0508 001 002 Solutions for better living he rongoā ki te ora nui



Simple Product List

Crutches

CRUTCH 1742 ADULT DBLE ADJ COOPERS (PAIR) SIC Code: EM002 Accreditatio WLKSTD Weight: 1.4kg Capacity: 180kg Size:

Hand-grip to ground (in 25mm steps: 670mm-920mmArm band to hand-grip: 200mm-270mm. Inside cuff circumference 280mm22mm Tip



he rongoā ki te ora nui



Simple Product List

Kitchen & Living Room

CHAIR RAISER MF1/1 4in



Chair Raiser - suits most lounge chairsRaises your chair seat height by 100mmExpands in width and length to fit under your chair.

CHAIR RAISER MF1/1 2in



Chair Raiser - suits most lounge chairsRaises your chair seat height by 50mmExpands in width and length to fit under your chair.

CHAIR RAISER MF1/3 LAZYBOY 4in



Chair Raiser - suits a Lazy boy chairRaises your chair seat height by 100mmExpands in width and length and clamps to fit under your chair.

CHAIR RAISER MF1/1 6in




Chair Raiser - suits most lounge chairsRaises your chair seat height by 150mmExpands in width and length to fit under your chair.

CHAIR RAISER MF1/1 3in



Chair Raiser - suits most lounge chairsRaises your chair seat height by 75mmExpands in width and length to fit under your chair.

CHAIR RAISER MF1/3 LAZYBOY 6in



Chair Raiser - suits a Lazy boy chairRaises your chair seat height by 150mmExpands in width and length and clamps to fit under your chair.



Solutions for better living

FREEPHONE 0508 001 002 Solutions for better living

he rongoā ki te ora nui



Simple Product List

Kitchen & Living Room

CHAIR RAISER MF1/3 LAZYBOY 2in



SIC Code:	EK007
ccreditatio	PSCHSM LST
Weight:	7kg
Capacity:	380kg
Size:	485W - 885L

Chair Raiser - suits a Lazy boy chairRaises your chair seat height by 50mmExpands in width and length and clamps to fit under your chair.

DERBY ELEPHANT FEET 182 140MM (4)




Recess in top allows castor or leg to be raised Fit under legs of most beds & chairs, non-slip inserts The Elephant feet raise by 140mm and come as a set of $\rm 4$

ELECTRIC CAN OPENER CA2800 SUNBEAM



Can opener and knife sharpener, automatic operationOpening a variety of sized cans in 3 stepsMagnetic lid holder

CHAIR RAISER MF1/3 LAZYBOY 3in



Chair Raiser - suits a Lazy boy chairRaises your chair seat height by 75mmExpands in width and length and clamps to fit under your chair.

DERBY ELEPHANT FEET 181 90MM (4)



Recess in top allows castor or leg to be raised Fit under legs of most beds & chairs, non-slip inserts The Elephant feet raise by 90mm and come as a set of 4

JAR OPENER GOOD GRIPS GG39211



Non slip soft grip - that won't slip even if wetStainless steel teeth allow safe opening of any ${\rm jarLightweight}$

SIC Code: **EK007**

Δ



Solutions for better living

FREEPHONE 0508 001 002
Solutions for better living

he rongoā ki te ora nui



Simple Product List

Kitchen & Living Room

JAR & BOTTLE OPENER 5010Y UNDO IT



SIC Code:	EK022
Accreditatio	PSCHSM WLKSTD
Weight:	n/a
Capacity:	n/a
Size:	140x100mm

V shaped coated metal opener with non slip lining to aid in opening jarsOpens jar tops from 25 to 75mmAttaches under shelf

UTILITIES A703209 S/BENDABLE (SET4)



SIC Code:	EK023
Accreditatio	PSCHSM WLKSTD
Weight:	50g per
Capacity:	n/a
Size:	n/a

Spoons and fork can be bent to any angle. large handle to improve grip.Knife blade shaped to allow rocker motion, dishwasher safe.

TROLLEY 290 CHEVRON REHAB



Heat resistant trays remove for cleaning. 4x75mm castorsAdjustable height 785-935mm. 465mmWx490mmL

JAR & BOTTLE OPENER 5010Y UNDO IT



V shaped coated metal opener with non slip lining to aid in opening jarsOpens jar tops from 25 to 75mmAttaches under shelf

KETTLE TIPPER AA5771 CORDLESS



SIC Code:	EK024
Accreditatio	PSCHSM
Weight:	1.1kg
Capacity:	n/a
Size:	up to 22cm diameter

Suits long tall cordless kettlesBase can be adjusted to suit most sizes of kettlesSafety strap supplied to retain the Kettle on the platform

TROLLEY WOODEN RT1H WITH HANDLES



Kitchen Trolley Wooden. Width - 415mm Lenght - 510mm Height to top of handle - 975mm



he rongoā ki te ora nui



Simple Product List

Kitchen & Living Room

STOOL PERCHING HE12680041 ARMS&BACK



Designed for use including in the kitchen, bathroom and toiletSoft seat and back for comfort, angle adjustment of seat

STOOL PROPPING 746 BACK/ NO ARMS



Seat height and angle easily adjustable 520-640mm, padded seat/backSeat size 330x285mm. Height from seat to top of back 410mm.

CHAIR 610S HILITE STD SLATE



Comes standard with mobility wheels, Height Adjustable. High BackContoured backrest, Seat width - 490mm Backrest - 700mmHeight Adjustable - 430mm -580mm, Adjustable Seat depth 480 - 520mm

STOOL PERCHING MP30304 NO ARMS/BACK



Height adjustable 56-70cm., Padded Seat, rubber stoppers on legsLegs adjustable by C-clipsFire Retardant Upholstery, rigid steel frame powder coated

CHAIR 609S- REHAB HEIGHT ADJ



Width size between arms 440mmMulti purpose chair, height adjustable 430mm - 580mmCurved back and padded arms: Colour - slate

BOARD AA5284 PLASTIC BUTTERING



SIC Code:	EK070
Accreditatio	PSCHSM
Weight:	60 grams
Capacity:	n/a
Size:	256x181mm

The bread can be pushed against the raised corner to assistin buttering or using spreads on a piece of bread or toast



he rongoā ki te ora nui



Simple Product List

Kitchen & Living Room

BOARD AA5284 PLASTIC BUTTERING



SIC Code:	EK070
Accreditatio	PSCHSM
Weight:	60 grams
Capacity:	n/a
Size:	256x181mm

The bread can be pushed against the raised corner to assistin buttering or using spreads on a piece of bread or toast

BOARD 80501004 FOOD PREP FIX



Designed to assist clients to whisk, grate, peel and cut one handed. The unit may be reversed from a spike side to a flat side, Sucker feet are supplied to prevent movement

MATTING 860 DYCEM 200MM X 333MM



SIC Code:	EK073
Accreditatio	PSCHSM
Weight:	n/a
Capacity:	n/a
Size:	200mm X 333mm

Dycem Reel - Non Slip 200mm X 2000mm

BOARD 5460 FOOD PREP FIX



SIC Code:	EK071
Accreditatio	PSCHSM
Weight:	1.2kg
Capacity:	n/a
Size:	n/a

Designed to assist clients to whisk, grate, peel and cut one handed. The unit may be reversed from a spike side to a flat side, Sucker feet are supplied to prevent movement

BOARD VEGETABLE SPIKE VH1



SIC Code:	EK072
Accreditatio	PSCHSM
Weight:	N/A
Capacity:	5kg
Size:	140mm x 140mm x 10mm

Vegetable and Fruit spike board Allows the peeling of food with one handStainless Steel spikes for hygiene.Made from Perspex.Supplied with non slip mat

OBUS SEAT



The seat's polyurethane foam construction absorbs compression forces anddissipates the vibration created in moving vehicles making it ideal for useon the road.The removable front section is easily unzipped.



he rongoā ki te ora nui



Simple Product List

Kitchen & Living Room

OBUS SEAT



The seat's polyurethane foam construction absorbs compression forces anddissipates the vibration created in moving vehicles making it ideal for useon the road. The removable front section is easily unzipped.

OBUS LOW BACK SUPPORT



Accreditatio PSCHSM WLKSTD Weight: 1.25kg Capacity: N/A Size: 56cm x 43cm

Conforms to and supports the natural curve of your spine to promote properSitting posture

OBUS HIGH BACK SUPPORT



Conforms to and supports the natural curve of your spine to promote proper

OBUS LOW BACK SUPPORT



Conforms to and supports the natural curve of your spine to promote properSitting posture

OBUS HIGH BACK SUPPORT



Conforms to and supports the natural curve of your spine to promote proper



he rongoā ki te ora nui



Simple Product List

Low Cost Equipment: Under \$50 incl. GST

BACKREST HE10780020



Strong steel construction, Durable mesh covering, 5 variable positionsAdjustable backrest for comfortable positioning, Adjustable angle 25° -75MoH Low Cost Equipment: Under \$50 incl. GST

BED CRADLE 283



Fixed height. Keeps bedclothes clear of feet and legs- 500mmH X 580mmL X 320mmWMoH Low Cost Equipment: Under 50 incl. GST

CRUTCH MP10403 COMFY HANDLE (PAIR)



Double Adjustable Crutches with Comfy HandlesFrom Handle to Floor: 75 -98cm, From Handle to top of Cuff: 24 - 32cmMoH Low Cost Equipment: Under \$50 incl. GST

BACKREST HE10780020



Strong steel construction, Durable mesh covering, 5 variable positionsAdjustable backrest for comfortable positioning, Adjustable angle 25° - 75MoH Low Cost Equipment: Under \$50 incl. GST

HEEL PROTECTOR 178 SOFTECH (EA)



A resilent fabric made of cylindral hollow fibres coated with siliconAttaches with velcro straps



he rongoā ki te ora nui



Simple Product List

Manual Handling

TRANSFER SHEET 195 STANDARD SIZE



SIC Code:	EH001
Accreditatio	PSCHSM WLKSTD
Weight:	n/a
Capacity:	n/a
Size:	1100x1500mm

Slide/turn/transfer sheet allows movement of the client withoutskin friction. Made of lightweight fabric with a super-slippery surfaceWashable and drip dry

TURNTABLE R5085 HEAVY DUTY





TurnTable is made of durable polyethyleneRubber-like anti-slip surface

TRANSFER BELT 6074 FLEXIBELT HUG MEDIUM



FlexiBelt is a walking beltThe belt must not be used as a lifting aid

TURNTABLE R5085 HEAVY DUTY



TurnTable is made of durable polyethyleneRubber-like anti-slip surface

TRANSFER BELT 6073 FLEXIBELT HUG SMALL



SIC Code:	EH012
Accreditatio	PSCHSM WLKSTD
Weight:	N/A
Capacity:	170kg
Size:	Waist 60-100cm

FlexiBelt is a walking beltThe belt must not be used as a lifting aid

GLIDEBOARD 4700012 BANANA



BANANA-board serves for transfer bed-wheelchair-chair etc.Curved board made of HDPE composite materials for superior strength and useEasy to clean and disinfect.



FREEPHONE 0508 001 002 Solutions for better living he rongoā ki te ora nui



Simple Product List

Manual Handling

TRANSFER BOARD 157



Straight Board. Made from laminated timber.Handgrips & chamfered ends help slide under torsoPolished for easier sliding



he rongoā ki te ora nui



Simple Product List

Office

BACK FRIEND BACK & BASE



Ideal when the seat is too soft, saggy or you're required to sit on theground and giving added lumbar support. A solution for the relief of back pain while seated

BACK FRIEND BACK ONLY





Great for support in a semi reclined position in bed, or for when you'rein the office on a dining chair or a firm lounge suite added lumbar supportMay be used in conjunction with a wedge.



he rongoā ki te ora nui



Simple Product List

Other

REACHER EASIREACH 144 HELPING HAND SHORT



SIC Code:	EK050
Accreditatio	PSCHSM
Weight:	
Capacity:	
Size:	

Helping Hand ® Easireach Stick (Short)Length: 650mm

SHOE HORN LONG HANDLE CHROME 1028S



SIC Code:	EO002
Accreditatio	PSCHSM
Weight:	N/A
Capacity:	N/A
Size:	Length - 61cm

Long Shoe Horn with SpringChrome plated with handle grip

TENS MACHINE N103A FORTRESS THERAPY DEVICE



Adjustable pulse width (50-300 microsec), pulse rate (2-150 Hz), intensity(0-90mA), modes (Burst, Constant, Rate/Width Modulation), wave form (Asymmetrical Bi-Phasic Square Pulse) and timer 30, 60 mins. Use 9V battery

REACHER EASIREACH 146 HELPING HAND LONG



Helping Hand ® Easireach Stick (Long)Length: 820mm

EXERCYCLE FUEL 3



SIC Code:	EO003
Accreditatio	PSCHSM
Weight:	31.5kgs
Capacity:	120kg
Size:	160x147x72cm

Display scan: Time, distance covered, speed, RPM, pulse rate, body fatrecovery, calendar, clock, temp.



he rongoā ki te ora nui



Simple Product List

Ramp

RAMP 548 THRESHOLD 50mmH x 850mmW



SIC Code:	EM110
creditatio	PSCHSM
Weight:	3.1kg
Capacity:	267kg
Size:	H50xL250xW850mm

Lightweight aluminium ramp designed for doorways and raised landings.Non skid surface. 50mmH, 250mmL, 850mmW.Safe working load 267kg.

RAMP 549 THRESHOLD 75mmH x 850mmW



Lightweight aluminium ramp for doorways and raised landings.Non skid surface. 75mmH, 375mmL, 850mmW.Safe working load 267kg.



he rongoā ki te ora nui



Simple Product List

Seating & Backs

CUSHION VF1616 KOMFIT 16X16



SIC Code: EK109 Accreditatio WMPML1 WMPML2 Weight: 0.6kg Capacity: 100kg Size: 40x40cm

The Komfit Kushion is made with 3 layers of high density visco elastic foamRolled in the front to help remove pressure under the thighs.Incontinent cover with seating directions for correct placement

CUSHION VF1818 KOMFIT 18X18



SIC Code:	EK111
Accreditatio	WMPML1 WMPML2
Weight:	0.6kg
Capacity:	100kg
Size:	45x45cm

The Komfit Kushion is made with 3 layers of high density visco elastic foamRolled in the front to help remove pressure under the thighs.Incontinent cover with seating directions for correct placement



he rongoā ki te ora nui



Simple Product List

Shower

SHOWER CHAIR 334 WITH ARMS



EB040	SIC Code:
PSCHSM LST	Accreditatio
	Weight:
175kg	Capacity:
	Size:

Fully adjustable.Seat height adjusts: 420mm - 550mmWidth inside arms: 450mm

SHOWER STOOL 380 WITH ARMS-VIKING



Made from epoxy-coated mild steel, height-adj, non-slip plastic seat.Pretreated for rust. Seat height adjusts 490-610mm.Width inside arms 460mm. Seat size 300x350mm.

SHOWER STOOL SSHD61 HEAVY DUTY W/ARMS



Seat height from floor 440-600mm, seat size 440x360mm, inside arms 480mmWSeat made from HDPE, light, extremely tough, chemical resistant, easy cleanPowder coated mild steel, treated for rust protection

SHOWER STOOL 383 NO ARMS



Made from epoxy-coated mild steel, height-adjustable. Non-slip plastic seatPretreated for rust protection. Seat height adjusts 490-610mm.Seat size 300x350mm

SHOWER STOOL HE13710000 WITH ARMS



EB042
PSCHSM
2.4kg
113kg
Adj height 480-600mm

Height adjustable, robust powder coated frameRust proof frame, Plastic injection moulded seatArmrests assist safe transfer.



he rongoā ki te ora nui



Simple Product List

Toileting

COMMODE BEDSIDE MP2050



SIC Code:	ET010
Accreditatio	PSCHSM
Weight:	3kg
Capacity:	125kg
Size:	Height 40 - 52 cm

Bed Side CommodeWidth Between Arms: 46 cmPadded Seat & Back, Padded Armrests

BOTTOM WIPER AA2650



Moulded plastic head with recessed serrations to grip the paperMounted on a light alloy curved handleDesigned to be used from the front

OVER TOILET FRAME 390 STRAIGHT ARM



Stackable steel frame pre-treated for rust protection. Height adjustable, removable flipup seat, splashguard.Seat height 480-620mm. Width inside arms 445mm.

TOILET AID/ SURROUND 221 CHEVRON



Capacity: 130kg Size: Height 660-790mm

Freestanding frameHeight adjustable - 660mm - 790mmWidth between arms 450mm.

BOTTOM WIPER AA2650



Moulded plastic head with recessed serrations to grip the paperMounted on a light alloy curved handleDesigned to be used from the front

TOILET SEAT RAISER 251 DERBY PRIMA



SIC Code:	ET042
Accreditatio	PSCHSM
Weight:	1.0Kg
Capacity:	190kg
Size:	405mmLx385mmW

Robust, moulded raiser is easily fitted into position by a self-locatingdipped front and 2 easily-adjusted external knobs either side. Antibacterial impregnated.Height 4in



Solutions for better living

FREEPHONE 0508 001 002 Solutions for better living

he rongoā ki te ora nui



Simple Product List

Toileting

TOILET SEAT RAISER 242 DERBY PRIMA



SIC Code:	ET043
Accreditatio	PSCHSM
Weight:	0.8Kg
Capacity:	190kg
Size:	405mmLx385mmW

Robust, moulded raiser is easily fitted into position by a self-locatingdipped front and 2 easily-adjusted external knobs either sideAntibacterial impregnated, Height 2in

TOILET SEAT RAISER SAVANAH 2in



SIC Code:	E1045
Accreditatio	PSCHSM LST
Weight:	0.5kg
Capacity:	190kg
Size:	50mm or 2"

ETO 4E

Large front and rear cut outs, front securing lip2 adjustable pads

OVER TOILET FRAME 398MAXI 650MM FIX



Supplied with splash guardSeat heght - 570mmWidth between arms - 650mm.

TOILET SEAT RAISER SAVANAH 4in

	1.6		
10		A PARTY	
1		1	
	-		



Large front and rear cut outs, front securing lip2 adjustable pads

COMMODE 299 3 IN 1



Splashguard, bucket & lid, removable backSeat height adjusts 410-560mm. Width between arms 460mm. Seat width 350mm



he rongoā ki te ora nui



Simple Product List

Vocational - Office

MICRODESK M269 GOODUSE WITH RULER



SIC Code:	EF030
Accreditatio	PSCHSM
Weight:	2.02kg
Capacity:	N/A
Size:	560mm w x 3

Reading and writing copyholderEasy height and slope adjustment for individual sizing.Allows easy access to keyboard and paper work at all times.

COPYHOLDER DH640A 3m IN LINE



SIC Code:	EF034
Accreditatio	PSCHSM
Weight:	n/a
Capacity:	n/a
Size:	45.7 x 27.9 x 10.1cm

The DH640 In-Line Document Holder sits between the monitor and keyboard. It is easy to adjust and comes with an elastic guidline. It is both height and angle adjustable

LEGREST 60L ADJUSTABLE EF108



Provides comfort and support for the user's legs. Sits at 10° angle, can be adjusted to any height between 400-550mm. Top measures 500x400mm.

WHITEBOARD & PENS WB-LAC4 LACQUER



This whiteboard features a durable surface, and features an aluminum frame, accessory tray, with pack of assorted bullet tipped, long lasting, hardtip markers which have a thick barrel for a more comfortable grip.

FOOTSTOOL FELLOWS C-236295



SIC Code:	EF107
Accreditatio	PSCHSM
Weight:	1.32kg
Capacity:	
Size:	455Wx338Dx97H

Offers dual-position height adjustmentFree-floating platform stretches legs for increased circulationTextured surface massages soles of feet

FOOTSTOOL FLUTELINE LGE - EF109



Adjustable Height Range 70mm - 185mmBy using the footsupporter, it helps to reduce fatigue, correct posture and improve circulation. All 4 legs are fully adjustable



he rongoā ki te ora nui



Simple Product List

Vocational - Office

CHAIR SPECTRUM 2 - NO ARMS



Height adjustable chair that has a 2 lever mechanismwith back angle adjustment. This has a distinctive backrest that featurespowerful lumbar area.Contoured seat gives comfort and support. Colour black

CHAIR SPECTRUM 2 - WITH ARMS



Height adjustable chair that has a 2 lever mechanismwith back angle adjustment, and is fitted with Height Adjustable Armrests.distinctive backrest that features a powerful lumbar area. Colour black

SADDLE SEAT BAMBACK - NO BACK



Gas Lift Height Adjustment.High Density polyurethane moulded foam.Independant adjustable tilting seat that can be locked in any position.

CHAIR SPECTRUM 3 - NO ARMS



Spectrum 3 has a 3 Lever Mechanism: Back and seat angle adjustments, Height Adjustable; The Spectrum's distinctive backrest, features a powerfullumbar area. Contoured seat provides comfort and support, colour dark blue

CHAIR SPECTRUM 3 - WITH ARMS



The Spectrum 3 Chair is a Height Adjustable chair with a 3 lever mechanismwith back and seat angle adjustments. This chair also includes HeightAdjustable arms. Backrest features a powerful lumbar area, Colour black

CHAIR - KNEE CHAIR EF117



The knee chair encourages a straight back and improved postureThe user can also adjust the angle of their legs and knee placement





he rongoā ki te ora nui



Simple Product List

Vocational - Office

STOOL B-POS270 POSTURITE



Adjustable tilting seat that can be locked in any position or free floatingHigh density shaped foam seat .Gas lift height adjustment.

MONITOR STAND FELLOWS (Premium)



SIC Code:	FG031
Sie coue.	20051
Accreditatio	PSCHSM
Weight:	N/A
Capacity:	36kg
Size:	334mm W x 340mm D

Raises monitor to a comfortable levelHeight adjusts from 65mm to 165mm.Supports up to 36kg or 21" monitors

ERGOREST - STANDARD



The ERGOREST forearm rest is ergonomically designed to provide the userwith support for forearms and relief from muscle strain and tension in neckand shoulders. Designed for office and industrial use.

KEYBOARD MICROSOFT 600 WIRED



SIC Code:	EG024
Accreditatio	PSCHSM
Weight:	600gms
Capacity:	n/a
Size:	w 455mm x d 160mm

The keyboard is a plug and play keyboard and has quiet touch keysConnection USBSystem requirement Windows 7, Windows Vista, Windows XP, MAC OS X v10.4-10x

LAPTOP RAISER C-236813 FELLOWS



SIC Code:	EG041
Accreditatio	PSCHSM
Weight:	N/A
Capacity:	5 kg
Size:	165mm high x 384mm
	Accreditatio Weight: Capacity:

Laptop riser places your laptop at a comfortable viewing angle for ease ofuse and the front edge prevents the laptop from sliding off the riser.Adjustable tilt allows the user to customise the viewing angle.

WRISTREST J-MP128 KEYBOARD GEL



Provides exceptional support while redistributing pressure pointsDurabale covering withstands daily wear and tearNon-skid base hold wrist firmly in place.



he rongoā ki te ora nui



Simple Product List

Vocational - Office

WRISTREST C-236439 MOUSE GEL



Ergonomic Mouse Wristrest filled with soft gel & covered in lycra/neopreneMay assist in preventing OOS (Occupational Overuse Syndrome).



he rongoā ki te ora nui



Simple Product List

Vocational - Work

MOUSE BASIC MS OPTICAL 1041777



SIC Code:	EG010
Accreditatio	PSCHSM
Weight:	7.8 ounces
Capacity:	N/A
Size:	8.8 x 6 x 2.5

inches

Black, ergonomic and symmetrical, movement detection - opticalConnectivity - wired. Scroller type - Scroll Wheel.

KEYBOARD MICROSOFT NATURAL ERGONOMIC 4000 WIRED



SIC Code: EG025 Accreditatio PSCHSM Weight: 500gms Capacity: N/A Size: w19.8"xd10"xh3.26"

Comfort-ergonomic design for natural wrist and arm alignmentComputer/operating system-Window 8.1, Windows 8, Windows 7, Windows Vista, Windows XP Pro, Windows 2000 SP4 or higher



he rongoā ki te ora nui



Simple Product List

Walkers & Strollers

KNEE WALKER 1549 WITH BASKET



Two locking handbrakes, Adjustable Handle & Adjustable Knee HeightEasy to fold. 8 inch wheels and Carry Basket

PACER GUTTER 1905HB 2C/2W & BRAKES



Weight: 7kg Capacity: 160kg Size: Width 570mm

Front castors rear wheelsFolds for storage. Fully adjustable gutter tops with hand brakesOverall width 570mm. Inside width 435mm

PACER 1873 2C/2S W/BASKET TRAY



6" Front castors, rear stops folding walking frame, anatomical handgripsadj handle height. Folds for storage. Overall width 475mm. Inside width 425mm.

SUPER STROLLER 18461847 WITH TRAY



SIC Code:	EM028
Accreditatio	WLKSTD LST
Weight:	7kg
Capacity:	127kg
Size:	Width 600mm

Lightweight aluminium folding walking frame, 6" wheelsHand-operated brake system, padded seat, basketRemovable backrest with tray, Seat height 550mm. Overall width 600mm

PACER GUTTER 1905 2C/2W



6" Front castors, rear wheels folding walking frameFully adjustable gutter topsOverall width 570mm. Inside width 435mm

PACER 1877 2C/2SKI W/BASKET TRAY



6" Front castors, rear skis folding walking frame, anatomical handgripsadj handle heightOverall width 475mm. Inside width 425mm.



he rongoā ki te ora nui



Simple Product List

Walkers & Strollers

PACER 1875 2C/2W W/BASKET TRAY



6" Front castors, rear wheels folding walking frame, anatomical handgripsadj handle height 755-990mm, folds for storage.Overall width 570mm. Inside width 425mm

SUPER STROLLER 1845 NARROW



Lightweight aluminium folding walking frame, 6" wheels, hand-operated brakesystem. Padded seat, basket, storage bag.Seat height 460mm. Overall width 500mm.

PACER 1875HB 2C/2W H/BRAKES W/BASKET & TRAY



6" Front castors, rear wheels folding walking frame, anatomical handgripsOnetouch braking, handle locking system.Adj height 755-990mm. Overall width 570mm

PACER 1871 2W/2S W/BASKET TRAY



6" Front wheels, rear stops folding walking frame, anatomical handgripsadjustable handle heightOverall width 475mm. Inside width 425mm

SUPER STROLLER 1846



Lightweight aluminium folding walking frame, 6" wheels, hand operated brakesystem. Padded seat, basket, removable backrest.Seat height 550mm. Overall width 600mm.

WALKING STICK 1704 CROOK HANDLE



Aluminium crook handle with black foam handgrip.19mm tip.Black colour.



he rongoā ki te ora nui



Simple Product List

Walkers & Strollers

WALKING STICK 10602B ADJ SWAN HANDL



Adjustable walking stick with Swan Neck HandleOffset Sponge handle with Wrist Strap



he rongoā ki te ora nui



Simple Product List

Wheelchairs & Buggies

LEGREST 5039 LEFT ELEVATE CRUISER



SIC Code:	EM050
Accreditatio	WMPML1 WMPML2
Weight:	1.7Kg
Capacity:	n/a
Size:	n/a

Left Elevating Legrest to suit Cruiser Wheelchair Range

LEGREST 5040 RIGHT ELEVATE CRUISER



SIC Code:	EM057
Accreditatio	WMPML1 WMPML2
Weight:	1.7Kg
Capacity:	n/a
Size:	n/a

Right Elevating Legrest to suit Cruiser Wheelchair Range

WHEELCHAIR 52846 S/P 18in/46cm



Removable desk arms, removable swing-away footplates withcalf strap, 8" solid castors on front, 24" pneumatic wheels on rear.Folding chrome frame.

WHEELCHAIR 52941 16in/41cm T/R



SIC Code:	EM054
ccreditatio	WMPML1 WMPML2
Weight:	16kg
Capacity:	100kg
Size:	41cm Seat

Removable desk arms, removable swing-away footplates with calf strap, 8" solid castors on front, 12" pneumatic wheels on rear. Folding chrome frame.

WHEELCHAIR 52946 TRANSIT 18in/46cm



SIC Code:	EM058
Accreditatio	WMPML1 WMPML2
Weight:	16kg
Capacity:	100kg
Size:	46cm seat

Removable desk arms, removable swing-away footplates withcalf strap, 8" solid castors on front, 12" pneumatic wheels on rear.Folding chrome frame.

WHEELCHAIR 52841 16in/41cm S/P



SIC Code:	EM106
Accreditatio	WMPML1 WMPML2
Weight:	16kg
Capacity:	100kg
Size:	41cm seat

Removable desk arms, removable swing-away footplates withcalf strap, 8" solid castors on front, 24" pneumatic wheels on rear.Folding chrome frame.



FREEPHONE 0508 001 002 Solutions for better living he rongoā ki te ora nui



Standard Product List

Bathroom

BATHLIFTER 340 BEXLEY RECLINING



Stable, robust frame, simple to operate. Seat height min 70mm, max 480mm.Seat width w/out flaps 390mm. Back 340mmWx610mmH.



he rongoā ki te ora nui



Standard Product List

Bedroom

BED & MATTRESS EXT MEDLEY 10CM ACC





BED ETUDE PLUS 4 SEC ELECTRIC

SIC Code: EC102 Accreditatio PSCHSM Weight: 66kg Capacity: 180kg Size: W102cm L222cm

By requesting this bed you confirm that you are aware of thesupplier safety warning/standards for safe use of the bed for people under12 years of age, less than 150cm tall and/or less than 45kg

BED RAILS (PAIR) FOR MEDLEY - ACC



Fitted without the need for toolsFolding metal framesPair made with left and right frames

LIFTING POLE FOR MEDLEY BED



Attaches to the top left or right corner of the bed Allows patient to move him/herself in a sitting position

SteelAvailable in 10cmWarranty 1 year

COVERS (PAIR) FOR RAILS/MEDLEY -ACC



SIC Code:	EC110
Accreditatio	PSCHSM
Weight:	1.2kg x 2
Capacity:	N/A
Size:	As per cotside

For Medley bed side rails,PaddedVinyl easy to cleanCovers may differ slightly from picture depending on fitting

MATTRESS SPM197 SOFTFORM PREMIUM



20 waterlow scaleHigh to Very high riskFor Kiwicare Single Tall, Warranty: 8 years foam, 4 years cover



FREEPHONE 0508 001 002 Solutions for better living he rongoā ki te ora nui



Standard Product List

Kitchen & Living Room

CHAIR D30 ELECTRIC RECLINER



Lift and full reclineMedium to large steel frame chair



he rongoā ki te ora nui



Standard Product List

Manual Handling

HOIST BIRDIE COMPACT PIVOT FRAME



SIC Code: EH110 Accreditatio PSCHSM Weight: 38.5kg Capacity: 150kg

Size: 110 x 53cm (closed)

Birdie compact only 55cm wide . Emergency operation, audio battery alarmpivot frame, 100mm rolling castors

SLING 17243 PIVOT MESH LARGE



Attached to the Pivot frame, Open style $\operatorname{slingLift}$ patient in sitting and lying position

SLING 17242 PIVOT MESH MEDIUM



Attached to the Pivot frame, Open style slingLift patient in sitting and lying position $% \left({{{\rm{D}}_{\rm{B}}}} \right)$

SLING 17241 PIVOT MESH SMALL



SIC Code:	EH120
Accreditatio	PSCHSM WLKSTD
Weight:	1 kg
Capacity:	205 kg
Size:	xs s m l xl

Attached to the Pivot frame, Open style slingLift patient in sitting and lying position $% \left({{{\rm{D}}_{\rm{B}}}} \right)$



he rongoā ki te ora nui



Standard Product List

Vocational - Office

CHAIR CHORUS 3.5 HI BACK NO ARMS



The Chorus 3.5 Chair is a Height Adjustable chair with a 3 lever mechanismFeatures significant lumbar and upper-back supportand a gently contoured gaslift seat

DESK OI-01 ELECT HGT/ADJ 1200X800MM



Height Range to the top of the desktop 685 - 1200mmEasy to use height adjustable button is placed on the front of the desk25mm Seal Grey top with Solid PVC Edge



FREEPHONE 0508 001 002 Solutions for better living he rongoā ki te ora nui



Standard Product List

Vocational - Work

WORK BOOTS



SIC Code: EG060 Accreditatio PSCHSM WLKSTD Weight: Capacity: Size:

Available from identified suppliers -Assessors to supply product codes and description with application



he rongoā ki te ora nui



Standard Product List

Wheelchairs & Buggies

LEGREST KMELL KARMA ELEVATE LEFT



One size fits all wheelchair widths, lenght adjustable -Left easy angle adjustment, plastic swingaway footplateSwingaway elevating legrest

WHEELCHAIR KM8520 KARMA 14X16 T/R



Height adjustable flip up armrest with 70 degree swingaway legrestPelvic positioning device

WHEELCHAIR KM8520 KARMA 16X18 T/R



Height adjustable flip up armrest with 70 degree swingaway legrestPelvic positioning device

LEGREST KMELR KARMA ELEVATE RIGHT



One size fits all wheelchair widths, lenght adjustable -Right easy angle adjustment, plastic swingaway footplateSwingaway elevating legrest

WHEELCHAIR KM8520 KARMA 16X16 T/R



Height adjustable flip up armrest with 70 degree swingaway legrestPelvic positioning device

WHEELCHAIR KM8520 KARMA 18X18 T/R



Height adjustable flip up armrest with 70 degree swingaway legrestPelvic positioning device



FREEPHONE 0508 001 002 Solutions for better living

he rongoā ki te ora nui



Standard Product List

Wheelchairs & Buggies

WHEELCHAIR ACTION 3 16X18 T/R (ACC)



SIC Code:	EM055
Accreditatio	WMPML1 WMPML2
Weight:	14.5kgs
Capacity:	125kgs
Size:	

Highly adjustable stsLightweight framefolds quick& dism arranty on frame and crossbars, 1 year

WHEELCH/ ACC)



Highly adjustable chair with swing-in and swing-out legrestsLightweight framefolds quick& dismantles for ease of transportation2 year warranty on frame and crossbars, 1 year warranty on all other parts

WHEELCHAIR ACTION 3 18X18 S/P (ACC)



Highly adjustable chair with swing-in and swing-out legrests.Lightweight framefolds quick& dismantles for ease of transportation.2 year warranty on frame and crossbars, 1 year warranty on all other parts.

WHEELCHAIR ACTION 3 16X16 T/R (ACC)



Highly adjustable chair with swing-in and swing-out legrestsLightweight framefolds quick& dismantles for ease of transportation2 year warranty on frame and crossbars, 1 year warranty on all other parts

WHEELCHAIR ACTION 3 20X18 T/R (ACC)



Highly adjustable chair with swing-in and swing-out legrestsLightweight framefolds quick& dismantles for ease of transportation2 year warranty on frame and crossbars, 1 year warranty on all other parts

WHEELCHAIR ACTION 3 20X18 S/P (ACC)



Highly adjustable chair with swing-in and swing-out legrests.Lightweight framefolds quick& dismantles for ease of transportation.2 year warranty on frame and crossbars, 1 year warranty on all other parts.

chair with swing-in and swing-out legrest nantles for ease of transportation2 year wa warranty on all other parts
AIR ACTION 3 18X18 T/R (A



FREEPHONE 0508 001 002 Solutions for better living

he rongoā ki te ora nui



Standard Product List

Wheelchairs & Buggies

WHEELCHAIR ACTION 3 16X18 S/P (ACC)



Highly adjustable chair with swing-in and swing-out legrestsLightweight framefolds quick& dismantles for ease of transportation2 year warranty on frame and crossbars, 1 year warranty on all other parts

WHEELCHAIR ACTION 3 18X16 S/P (ACC)



Highly adjustable chair with swing-in and swing-out legrests.Lightweight framefolds quick& dismantles for ease of transportation.2 year warranty on frame and crossbars, 1 year warranty on all other parts.

WHEELCHAIR KM8020 KARMA 14X16 S/P



Karma Self Propelling Wheelchair - with 24" quick release wheelsHeight adjustable armrestsAntitippers, Pelvic Positioning Device

WHEELCHAIR ACTION 3 16X16 S/P (ACC)



Highly adjustable chair with swing-in and swing-out legrests.Lightweight 10kg frame- folds quick& dismantles for ease of transportation.2 year warranty on frame and crossbars, 1 year warranty on all other parts.

WHEELCHAIR ACTION 3 20X16 S/P (ACC)



Highly adjustable chair with swing-in and swing-out legrests.Lightweight framefolds quick& dismantles for ease of transportation.2 year warranty on frame and crossbars, 1 year warranty on all other parts.

WHEELCHAIR KM8020 KARMA 16X16 S/P



Karma Self Propelling Wheelchair - with 24" quick release wheelsHeight adjustable armrestsAntitippers, Pelvic Positioning Device

VHEELCHAIR ACTION 3 TO



FREEPHONE 0508 001 002 Solutions for better living

he rongoā ki te ora nui



Standard Product List

Wheelchairs & Buggies

WHEELCHAIR KM8020 KARMA 16X18 S/P



Karma Self Propelling Wheelchair - with 24" quick release wheelsHeight adjustable armrestsAntitippers, Pelvic Positioning Device

WHEELCHAIR KM8020 KARMA 18X18 S/P



Karma Self Propelling Wheelchair - with 24" quick release wheelsHeight adjustable armrestsAntitippers, Pelvic Positioning Device

WHEELCHAIR KM8020 KARMA 18X16 S/P



Karma Self Propelling WheelchairHeight adjustable armrestsAntitippers, Pelvic Positioning Device



he rongoā ki te ora nui



Complex Product List

Bathroom

COMMODE 966 SHOWER CHAIR FOLD



Designed for those who wish to travel, this model dismantles easily.Reinforced nylon, waterproof, rear self-propelled wheels (560mm).Adjustable height and swing-away footrest.

COMMODE 960 FOLDING ATTENDANT PROPE



This model dismantles easilyAdjustable swing away footrests and swing up armsLong lasting, durable stainless steel tube, Removable seat.



he rongoā ki te ora nui



Complex Product List

Bedroom

BED 921WA BOCK BELLUNO SUPER SINGLE



By requesting this bed you confirm that you are aware of the suppliersafety warnings/standards for safe use of the bed for people under 12 yearsof age and less than 150cm tall

MATTRESS 994 SUPER SINGLE POSTURE



Temperature sensitive ultra-soft layers of visco memory foamHypo-allergenic, anti-microbial and dust mite resistantBi-elastic two-way stretch waterproof, breathable cover

BED 922WA BOCK BELLUNO 140CM



By requesting this bed you confirm that you are aware of the suppliersafety warnings/standards for safe use of the bed for people under 12 yearsof age and less than 150cm tall

MATTRESS 992 POSTURE TEMP DOUBLE



Temperature sensitive ultra-soft layers of visco memory foam.Hypo-allergenic, anti-microbial and dust mite resistant.Bi-elastic two-way stretch waterproof, breathable cover.





he rongoā ki te ora nui

Complex Product List

Commode

COMMODE 2927 VIKING RAZ COMPLETE S/S HGHT ADJ TNS



Stainless steel shower commode with height adjustable frameTilt in Space functionNo seat - frame only $% \left({{{\rm{S}}_{{\rm{B}}}} \right)$



FREEPHONE 0508 001 002 Solutions for better living he rongoā ki te ora nui



Complex Product List

Shower

SHOWER SYSTEM - CAREPORT



Shower Unit Only (Excludes installation)Heavy duty floor that will take the weight of patient and commodeEase of access and installation



he rongoā ki te ora nui



Complex Product List

Wheelchairs & Buggies

WHEELCHAIR KP25 KARMA 14X16X18in P/W



Karma KP25 powerchair - with height adjustable armrestsAntitippers, Pelvic Positioning Device, Shark Dynamic programmable controller interchangeable (left or right hand)

WHEELCHAIR Q6 EDGE 2.0 POWERBASE



Accreditatio WMPML1 WMPML2 Capacity: 136kg Size: W 10-22"; D 10-22"

Two motor, mid wheel drive with ATX suspension.Standard Controls: PG R-Net LED. Seat width & depth adjustable.Seat-Floor Height 17.5", Length 35.5", Width 24", Turn radius 20.5".

WHEELCHAIR TDXSP TNS TILT & RECLINE



Traction Control Design & Enhanced SureStep.True Centre-Wheel Drive tightest possible turning radius.Quiet stability lock with a gas-locking cylinder.

WHEELCHAIR SOLARA 3G MANUAL TRANSIT



SIC Code:	EM105
Accreditatio	WMPML1 WMPML2
Weight:	15.65kgs
Capacity:	136kg
Size:	W12-24in D12-22in

Center of gravity adjustment helps to improve tilting. Foot-operated hub lock brakes. Tie down transport brackets 12 in pneumatic wheels. Quick release wheels.

WHEELCHAIR TDXSP WITH TILT SPJ+



Traction Control Design & Enhanced SureStep.True Centre-Wheel Drive tightest possible turning radius.Quiet stability lock with a gas-locking cylinder.

WHEELCHAIR TDXSC MK6 WITH TILT P/W



SureStep technology allows smooth driving over thresholds and transitions.True center-wheel drive system for intuituve driving.Fully programmable MK6i electronics for maximum function and control.

SIC Code: EM103



FREEPHONE 0508 001 002 Solutions for better living

he rongoā ki te ora nui



Complex Product List

Wheelchairs & Buggies

WHEELCHAIR TDXSI WITH TILT-MK6 MPJ



SIC Code:	EM125
Accreditatio	WMPML1 WMPML2
Weight:	120kgs
Capacity:	
Size:	W12-22in D12-22in

Stability Assist provides a smooth, stable and quiet driving experience.Sure Step feature - Capable of climbing up a 3" obstacle from a dead stop.Large 14" drive wheels improves the ability to negotiate curbs & obstacles.

WHEELCHAIR TILITE ZR MONO TUBE

	SIC Code:	EM132
	Accreditatio	WMPML1
	Weight:	4.2kgs
	Capacity:	120kgs
	Size:	w12-20in D12-20in

Ti 3-2.5 seamless aerospace grade titanium = superior vibration dampeningUtilizes fixed or welded-in components to improve performance & durability $% \left(\frac{1}{2}\right) =0$

WHEELCHAIR TILITE 2GX FOLDING



SIC Code:	EM130
ccreditatio	WMPML1
Weight:	5.9kgs
Capacity:	120kgs
Size:	W12-20in D12-20in

TiLite's exclusive Rigid Folding Mechanism RFM cross tube design.Tru-Fit system results in a 50% reduction of holes in the frame.Ti 3-2.5 seamless aerospace grade titanium = superior vibration dampening.

WHEELCHAIR TILITE ZRA2 FIXED FRAME



SIC Code:	EM133
Accreditatio	WMPML2
Weight:	4.9kgs
Capacity:	120kgs
Size:	W12-20in D12-20in

Ti 3-2.5 seamless aerospace grade titanium = superior vibration dampeningFully adjustable, ideal for new users or those with changing needs